



YAW-YEW

YAW-YEW RUBBER 耀裕橡膠

Connecting To Your Wish

JIS B 2401


RECIPROCATING O-RING SIZE REFERENCE

How We Make Your Products Perfect 至臻至美 · 出眾首選



JIS B 2401

RECIPROCATING O-RING P/G SIZE REFERENCE




JIS B 2401 Reciprocating O-RING Size Reference										
Number	Actual Size			Gland Size				Back-up Ring Spiral		
	W	d	D	D'	A	d'	B	W'	T	Z
P3	1.9±0.07	2.8±0.12	6.6	6	3	3	6	1.5	0.7	1.2
P4	"	3.8 "	7.6	7	4	4	7	"	"	"
P5	"	4.8 "	8.6	8	5	5	8	"	"	"
P6	"	5.8 "	9.6	9	6	6	9	"	"	"
P7	"	6.8 "	10.6	10	7	7	10	"	"	"
P8	"	7.8 "	11.6	11	8	8	11	"	"	"
P9	"	8.8 "	12.6	12	9	9	12	"	"	"
P10	"	9.8 "	13.6	13	10	10	13	"	"	"
P10A	2.4±0.07	9.8 "	14.6	14	10	10	14	2.0	0.7	1.4
P11	"	10.8 "	15.6	15	11	11	15	"	"	"
P11.2	"	11.0 "	15.8	15.2	11.2	11.2	15.2	"	"	"
P12	"	11.8 "	16.6	16	12	12	16	"	"	"
P12.5	"	12.3 "	17.1	16.5	12.5	12.5	16.5	"	"	"
P14	"	13.8 "	18.6	18	14	14	18	"	"	"
P15	"	14.8 "	19.6	19	15	15	19	"	"	"
P16	"	15.8 "	20.6	20	16	16	20	"	"	"
P18	"	17.8 "	22.6	22	18	18	22	"	"	"
P20	"	19.8±0.15	24.6	24	20	20	24	"	"	"
P21	"	20.8 "	25.6	25	21	21	25	"	"	"
P22	"	21.8 "	26.6	26	22	22	26	"	"	"
P22A	3.5±0.1	21.7 "	28.7	28	22	22	28	3.0	0.7	2.5
P22.4	"	22.1 "	29.1	28.4	22.4	22.4	28.4	"	"	"



JIS B 2401

RECIPROCATING O-RING P/G SIZE REFERENCE




JIS B 2401 Reciprocating O-RING Size Reference										
Number	Actual Size			Gland Size				Back-up Ring Spiral		
	W	d	D	D'	A	d'	B	W'	T	Z
P24	"	23.7 "	30.7	30	24	24	30	"	"	"
P25	"	24.7 "	31.7	31	25	25	31	"	"	"
P25.5	"	25.2 "	32.2	31.5	25.5	25.5	31.5	"	"	"
P26	"	25.7 "	32.7	32	26	26	32	"	"	"
P28	"	27.2 "	34.7	34	28	28	34	"	"	"
P29	"	28.7 "	35.7	35	29	29	35	"	"	"
P29.5	"	29.2 "	36.2	35.3	29.5	29.5	35.5	"	"	"
P30	"	29.7 "	36.7	36	30	30	36	"	"	"
P31	"	30.7 "	37.7	37	31	31	37	"	"	"
P31.5	"	31.2 "	38.2	37.5	31.5	31.5	37.5	"	"	"
P32	"	31.7 "	38.7	38	32	32	38	"	"	"
P34	"	33.7 "	40.7	40	34	34	40	"	"	"
P35	"	34.7 "	41.7	41	35	35	41	"	"	"
P35.5	"	35.2 "	42.2	41.5	35.3	35.3	41.5	"	"	"
P36	"	35.7 "	42.7	42	36	36	42	"	"	"
P38	"	37.7 "	44.7	44	38	38	44	"	"	"
P39	"	38.7 "	45.7	45	39	39	45	"	"	"
P40	"	39.7 "	46.7	46	40	40	46	"	"	"
P41	"	40.7 "	47.7	47	41	41	47	"	"	"
P42	"	41.7 ± 0.25	48.7	48	42	42	48	"	"	"
P44	3.5 ± 0.1	43.7 ± 0.25	50.7	50	44	44	50	3.0	0.7	2.5



JIS B 2401


RECIPROCATING O-RING P/G SIZE REFERENCE



JIS B 2401 Reciprocating O-RING Size Reference										
Number	Actual Size			Gland Size				Back-up Ring Spiral		
	W	d	D	D'	A	d'	B	W'	T	Z
P45	"	44.7 "	51.7	51	45	45	51	"	"	"
P46	"	45.7 "	52.7	52	46	46	52	"	"	"
P48	"	47.7 "	54.7	54	48	48	54	"	"	"
P49	"	48.7 "	55.7	55	49	49	55	"	"	"
P50	"	49.7 "	56.7	56	50	50	56	"	"	"
P48A	5.7±0.15	47.6 "	59.0	58	48	48	58	5.0	0.9	4.5
P50A	"	49.6 "	61.0	60	50	50	60	"	"	"
P52	"	51.6 "	63.0	62	52	52	62	"	"	"
P53	"	52.6 "	64.0	63	53	53	63	"	"	"
P55	"	54.6 "	66.0	65	55	55	65	"	"	"
P56	"	55.6 "	67.0	66	56	56	66	"	"	"
P58	"	57.6 "	69.0	68	58	58	68	"	"	"
P60	"	59.6 "	71.0	70	60	60	70	"	"	"
P62	"	61.6 "	73.0	72	62	62	72	"	"	"
P63	"	62.6 "	74.0	73	63	63	73	"	"	"
P65	"	64.6 "	76.0	75	65	65	75	"	"	"
P67	"	66.6 "	78.0	77	67	67	77	"	"	"
P70	"	69.6 "	81.0	80	70	70	80	"	"	"
P71	"	70.6±0.4	82.0	81	71	71	81	"	"	"
P75	"	74.6 "	86.0	85	75	75	85	"	"	"
P80	"	96.6 "	91.0	90	80	80	90	"	"	"
P85	"	84.6 "	96.0	95	85	85	95	"	"	"

JIS B 2401

RECIPROCATING O-RING P/G SIZE REFERENCE




JIS B 2401 Reciprocating O-RING Size Reference										
Number	Actual Size			Gland Size				Back-up Ring Spiral		
	W	d	D	D'	A	d'	B	W'	T	Z
P90	"	89.6 "	101.0	100	90	90	100	"	"	"
P95	"	94.6 "	106.0	105	95	95	105	"	"	"
P100	"	99.6 "	111.0	110	100	100	110	"	"	"
P102	"	101.6 "	113.0	112	102	102	112	"	"	"
P105	"	104.6 "	116.0	115	105	105	115	"	"	"
P110	"	109.6 "	121.0	120	110	110	120	"	"	"
P112	"	111.6 "	123.0	122	112	112	122	"	"	"
P115	"	114.6 "	126.0	125	115	115	125	"	"	"
P120	"	119.6 "	131.0	130	120	120	130	"	"	"
P125	"	124.6 "	136.0	135	125	125	135	"	"	"
P130	"	129.6±0.6	141.0	140	130	130	140	"	"	"
P132	"	131.6 "	143.0	142	132	132	142	"	"	"
P135	"	134.6 "	146.0	145	135	135	145	"	"	"
P140	"	139.6 "	151.0	150	140	140	150	"	"	"
P145	"	144.6 "	156.0	155	145	145	155	"	"	"
P150	"	149.6 "	161.0	160	150	150	160	"	"	"
P150A	8.4±0.15	149.5±0.6	166.3	165	150	150	165	7.5	1.4	6.0
P155	"	154.5 "	171.3	170	155	155	170	"	"	"
P160	"	159.5 "	176.3	175	160	160	175	"	"	"
P165	"	164.5 "	181.3	180	170	170	180	"	"	"



JIS B 2401

RECIPROCATING O-RING P/G SIZE REFERENCE




JIS B 2401 Reciprocating O-RING Size Reference										
Number	Actual Size			Gland Size				Back-up Ring Spiral		
	W	d	D	D'	A	d'	B	W'	T	Z
P170	"	169.5 "	186.3	185	170	170	185	1.5	0.7	1.2
P175	"	174.5 "	191.3	190	175	175	190	"	"	"
P180	"	179.5 "	196.3	195	180	180	195	"	"	"
P185	"	184.5 ± 0.8	201.3	200	185	185	200	"	"	"
P190	"	189.5 "	206.3	205	190	190	205	"	"	"
P195	"	194.5 "	211.3	210	195	195	210	"	"	"
P200	"	199.5 "	216.3	215	200	200	215	"	"	"
P205	"	204.5 "	21.3	220	205	205	220	"	"	"
P209	"	208.5 "	225.3	224	209	209	224	"	"	"
P210	"	209.5 "	226.3	225	210	210	225	"	"	"
P215	"	214.5 "	231.3	230	215	215	230	"	"	"
P220	"	219.5 "	236.3	235	220	220	235	"	"	"
P225	"	224.5 "	241.3	240	225	225	240	"	"	"
P230	"	229.5 "	246.3	245	230	230	245	"	"	"
P235	"	234.5 "	251.3	250	235	235	250	"	"	"
P240	"	239.5 "	256.3	255	240	240	255	"	"	"
P245	"	244.5 "	261.3	260	245	245	260	"	"	"
P250	"	249.5 "	266.3	265	250	250	265	"	"	"
P255	"	254.5 "	271.3	270	255	255	270	"	"	"
P260	"	259.5 "	276.3	275	260	260	275	"	"	"
P265	"	264.5 "	281.3	280	265	265	280	"	"	"
P270	"	269.5 "	286.3	285	270	270	285	"	"	"



JIS B 2401

RECIPROCATING O-RING P/G SIZE REFERENCE




JIS B 2401 Reciprocating O-RING Size Reference										
Number	Actual Size			Gland Size				Back-up Ring Spiral		
	W	d	D	D'	A	d'	B	W'	T	Z
P275	"	274.5 "	291.3	290	275	275	290	"	"	"
P280	"	279.5 "	296.3	295	280	280	295	"	"	"
P285	"	284.5 "	301.3	300	285	285	300	"	"	"
P290	"	289.5 "	306.3	305	290	290	305	"	"	"
P295	"	294.5 "	311.3	310	295	295	310	"	"	"
P300	"	299.5 "	316.3	315	300	300	315	"	"	"
P315	"	314.5 ± 1.0	331.3	330	315	315	330	"	"	"
P320	"	319.5 "	336.3	335	320	320	335	"	"	"
P335	"	334.5 "	351.3	350	335	335	350	"	"	"
P340	"	339.5 "	356.3	355	340	340	355	"	"	"
P355	"	354.5 "	371.3	370	355	355	370	"	"	"
P360	"	359.5 "	376.3	375	360	360	375	"	"	"
P375	"	374.5 "	391.3	390	375	375	390	"	"	"
P385	"	384.5 "	401.3	400	385	385	400	"	"	"
P400	"	399.5 "	416.3	415	400	400	415	"	"	"
G25	3.1 ± 0.1	24.4 ± 0.15	30.6	30	25	25	30	2.5	0.7	4.5
G30	"	29.4 "	35.6	35	30	30	35	"	"	"
G35	"	34.4 "	40.6	40	35	35	40	"	"	"
G40	"	39.4 "	45.6	45	40	40	45	"	"	"



JIS B 2401

RECIPROCATING O-RING P/G SIZE REFERENCE




JIS B 2401 Reciprocating O-RING Size Reference										
Number	Actual Size			Gland Size				Back-up Ring Spiral		
	W	d	D	D'	A	d'	B	W'	T	Z
G45	"	44.4±0.25	50.6	50	45	45	50	"	"	"
G50	"	49.4 "	55.6	55	50	50	55	"	"	"
G55	"	54.4 "	60.6	60	55	55	60	"	"	"
G60	"	59.4 "	65.6	65	60	60	65	"	"	"
G65	"	64.4 "	70.6	70	65	65	70	"	"	"
G70	"	69.4 "	75.6	75	70	70	75	"	"	"
G75	"	74.4±0.14	80.6	80	75	75	80	"	"	"
G80	"	79.4 "	85.6	85	80	80	85	"	"	"
G85	"	84.4 "	90.6	90	85	85	90	"	"	"
G90	"	89.4 "	95.6	95	90	90	95	"	"	"
G95	"	94.4 "	100.6	100	95	95	100	"	"	"
G100	"	99.4 "	105.4	105	100	100	105	"	"	"
G105	"	104.4 "	110.6	110	105	105	110	"	"	"
G110	"	109.4 "	115.6	115	110	110	115	"	"	"
G115	"	114.4 "	120.6	125	115	115	125	"	"	"
G120	"	119.4 "	125.6	125	120	120	125	"	"	"
G125	"	124.4 "	130.6	130	125	125	130	"	"	"
G130	"	129.4±0.6	135.6	135	130	130	135	"	"	"
G135	"	134.4 "	140.6	140	135	135	140	"	"	"
G140	"	139.4 "	145.6	145	140	140	145	"	"	"
G145	"	144.4 "	150.6	150	145	145	150	"	"	"
G150	5.7±0.15	149.3±0.6	160.7	160	150	150	160	5.0	0.9	6.0



JIS B 2401

RECIPROCATING O-RING P/G SIZE REFERENCE



JIS B 2401 Reciprocating O-RING Size Reference										
Number	Actual Size			Gland Size				Back-up Ring Spiral		
	W	d	D	D'	A	d'	B	W'	T	Z
G155	"	154.3 "	165.7	165	155	155	165	"	"	"
G160	"	159.3 "	170.7	170	160	160	170	"	"	"
G165	"	164.3 "	175.7	175	165	165	175	"	"	"
G170	"	169.3 "	180.7	180	170	170	180	"	"	"
G175	"	174.3 "	185.7	185	175	175	185	"	"	"
G180	"	179.3 "	190.7	190	180	180	190	"	"	"
G185	"	184.3 ±0.8	195.7	195	185	185	195	"	"	"
G190	"	189.3 "	200.7	200	190	190	200	"	"	"
G195	"	194.3 "	205.7	205	195	195	205	"	"	"
G200	"	199.3 "	210.7	210	200	200	210	"	"	"
G210	"	209.3 "	220.7	220	210	210	220	"	"	"
G220	"	219.3 "	230.7	230	220	220	230	"	"	"
G230	"	229.3 "	240.7	240	230	230	240	"	"	"
G240	"	239.3 "	250.7	250	240	240	250	"	"	"
G250	"	249.3 "	260.7	260	250	250	260	"	"	"
G260	"	259.3 "	270.7	270	260	260	270	"	"	"
G270	"	269.3 "	280.7	280	270	270	280	"	"	"
G280	"	279.3 "	290.7	290	280	280	290	"	"	"
G290	"	289.3 "	300.7	300	290	290	300	"	"	"
G300	"	299.3 "	310.7	310	300	300	310	"	"	"



耀裕橡膠有限公司
YAW-YEW RUBBER CO., LTD.



彰化縣福興鄉番社村番社街49之8號
No.49-8, Fanshe St., Fuxing Township, Changhua County 506, Taiwan (R.O.C)



+886-4-7783390



+886-4-7782764



y7783390@ms33.hinet.net



<http://www.yaw-yew.com.tw>



更多耀裕訊息即刻上網



更多NSF資訊即刻上網