



YAW-YEW

YAW-YEW RUBBER 耀裕橡膠

Connecting To Your Wish

YAW-YEW O-RING STANDARD SIZE LIST SERIES


How We Make Your Products Perfect 至臻至美 · 出眾首選





YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規 格：內徑ID X 線徑CS
0.7x0.45
0.7x0.88


規 格：內徑ID X 線徑CS
1.07x1.27
1.1x1.6
1.1x1.4
1.25x1
1.3x0.7
1.42x1.53
1.45x1.25
1.5x1
1.78x1.78
1.8x1.2
1.9x1.9

規 格：內徑ID X 線徑CS
2x1
2x1.5
2x1.76
2.3x0.85
2.3x1.78
2.4x1.6
2.5x1
2.5x1.25
2.5x1.5
2.5x1.75
2.5x2
2.57x1.78
2.8x1.9
2.9x0.55
2.9x1.78
2.9x1.92



YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規格：內徑ID X 線徑CS
3x1
3x2
3x2.5
3.2x1.78
3.2x1.9
3.3x0.8
3.3x1
3.3x2
3.35x1.56
3.5x1.4
3.5x1.5
3.5x1.9
3.5x2.25
3.69x1.78
3.7x1.3
3.7x1.8
3.8x1.25
3.8x1.5
3.8x1.78
3.8x1.9
3.9x1.8
3.9x1.9
3.9x2
3.95x1.15


規格：內徑ID X 線徑CS
4x0.55
4x1
4x1.37
4x1.45
4x1.5
4x1.6
4x1.75
4x2.05
4x2.2
4.3x1.8
4.42x2.62
4.47x1.78
4.5x1.5
4.5x2
4.65x1.2
4.7x1.5
4.7x1.55
4.8x1.6
4.9x1.9
4.96x5

規格：內徑ID X 線徑CS
5x1.5
5x1.8
5x2
5x2.5
5.2x1.1
5.2x1.2
5.2x1.9
5.2x2.05
5.23x2.62
5.25x1.78
5.3x2.2
5.3x2.78
5.3x3
5.34x1.78
5.5x1.5
5.5x1.9
5.5x2.05
5.5x3.5
5.55x1.85
5.6x2
5.7x2.1
5.75x2.4
5.8x1.6
5.8x1.75
5.8x1.9
5.8x2.6
5.9x1.2
5.9x2.75



YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規格：內徑ID X 線徑CS
6x1
6x1.45
6x1.55
6x1.65
6x1.78
6x1.8
6x1.85
6x2
6x2.1
6x2.2
6x2.5
6x2.62
6x3
6x4
6.2x1.9
6.3x1
6.35x1.78
6.4x1.9
6.5x1.5
6.5x1.6
6.5x1.7
6.5x2.8
6.6x2.48
6.6x2.55
6.8x1.7
6.8x1.9
6.9x1
6.9x1.78
6.9x1.9


規格：內徑ID X 線徑CS
7x1.4
7x1.5
7x1.7
7x2
7x2.2
7.1x1.7
7.1x2.6
7.1x2.7
7.3x2.8
7.4x1.9
7.45x1.78
7.5x0.5
7.5x0.9
7.5x1.1
7.5x1.5
7.5x2
7.5x2.4
7.52x3.53
7.6x2.62
7.65x1.78
7.8x1.6
7.8x1.8
7.8x1.9
7.8x2.1
7.8x2.4
7.8x2.6
7.9x1.9
7.9x3.4

規格：內徑ID X 線徑CS
8x1
8x1.2
8x1.5
8x2
8x2.6
8x3
8x3.45
8.1x2.4
8.1x3.3
8.35x2.4
8.5x2.2
8.6x1.25
8.6x1.35
8.6x1.5
8.6x1.7
8.64x1.65
8.7x2
8.7x2.5
8.7x2.7
8.8x1.7
8.8x1.9
8.9x3.2



YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規格：內徑ID X 線徑CS
9x1
9x1.6
9x1.85
9x2
9x2.06
9x2.5
9x2.6
9x3
9x4
9.1x2.3
9.1x3.4
9.12x3.53
9.19x2.62
9.25x1.78
9.3x1.05
9.3x2.4
9.4x1.4
9.5x1.1
9.5x2
9.5x2.5
9.5x2.75
9.53x1.59
9.8x1.7
9.8x1.9
9.8x2.4


規格：內徑ID X 線徑CS
10x1
10x1.55
10x1.6
10x1.8
10x2
10x3
10x3.15
10x3.35
10x3.55
10x3.6
10x4
10.2x2.5
10.3x2.2
10.4x2.8
10.5x1.5
10.6x2.2
10.65x3.53
10.7x2.55
10.77x2.62
10.8x1.14
10.8x1.9
10.8x2.2
10.8x2.3
10.8x2.4
10.82x1.78

規格：內徑ID X 線徑CS
11x1
11x1.35
11x1.5
11x2
11x2.4
11x2.78
11.11x1.78
11.4x3.35
11.5x0.55
11.5x1.9
11.5x2
11.5x2.5
11.55x2.9
11.7x2.2
11.8x2.4
11.8x2.8
11.8x3.2
11.8x3.3



YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規格：內徑ID X 線徑CS
12x1.2
12x1.6
12x2
12x2.08
12x2.15
12x2.62
12x3
12x3.05
12.1x2.7
12.27x3.53
12.29x3.53
12.3x0.85
12.3x0.9
12.37x2.62
12.4x3.1
12.42x1.78
12.42x1.9
12.5x1
12.5x2.4
12.5x2.6
12.5x3
12.5x3.4
12.5x5.2
12.7x1.5
12.7x1.7
12.75x3.18
12.9x2.7


規格：內徑ID X 線徑CS
13x1
13x2
13x2.1
13x2.2
13x2.5
13x2.8
13x2.9
13x3
13x3.9
13.2x1.6
13.2x2.7
13.3x2.4
13.3x2.5
13.4x2.6
13.5x3
13.8x1.9
13.8x2.4
13.8x2.5
13.8x3.5
13.95x1.2
13.95x2.62

規格：內徑ID X 線徑CS
14x1.5
14x1.8
14x2
14x2.2
14x2.5
14x2.76
14x3
14.2x2.7
14.22x2.85
14.5x3.25
14.8x2.4
14.8x2.6



YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規格：內徑ID X 線徑CS
15x1.5
15x1.65
15x1.8
15x2
15x2.62
15x2.7
15x3.2
15x3.5
15.1x1.85
15.3x2.2
15.5x1.5
15.5x1.9
15.5x2.06
15.54x2.62
15.6x1.78
15.6x1.82
15.8x2.4
15.8x2.45


規格：內徑ID X 線徑CS
16x1
16x1.2
16x1.85
16x2
16x2.4
16x2.6
16x2.7
16x3
16x3.2
16x3.5
16.2x4.65
16.3x3.2
16.5x1.5
16.5x2.2
16.5x3.8
16.6x2.6
16.65x2
16.8x1.3

規格：內徑ID X 線徑CS
17x1.7
17x2.05
17x2.1
17x2.2
17x2.35
17x2.85
17x3.5
17.1x2.75
17.12x2.62
17.17x1.78
17.2x1.5
17.2x1.8
17.2x1.9
17.4x1.3
17.4x2.3
17.45x2.15
17.5x2
17.8x2.2
17.8x2.4
17.8x3.5



YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規格：內徑ID X 線徑CS
18x2
18x2.3
18x2.5
18x3
18.05x4
18.2x1.5
18.39x4.65
18.4x2.6
18.5x2.55
18.5x3
18.6x2.16
18.64x3.53
18.77x1.78
18.8x1.9
18.8x2
18.8x2.04
18.8x2.08
18.8x2.15
18.8x2.4
18.8x2.65
18.86x2.5


規格：內徑ID X 線徑CS
19x1.75
19x2.3
19x2.5
19x3
19.3x2.4
19.4x1.3
19.5x1.5
19.5x2.5
19.8x1.9
19.8x2
19.8x2.1
19.8x2.4

規格：內徑ID X 線徑CS
20x1.1
20x1.2
20x1.8
20x2
20x4
20.2x3.5
20.2x5
20.22x2.62
20.22x3.53
20.29x2.62
20.4x1.8
20.5x1.5
20.5x2.1
20.8x2.2
20.8x2.4
20.9x2.62
20.9x2.67



YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規 格：內徑ID X 線徑CS
21x2
21x6
21.3x2.1
21.5x1.5
21.7x2.9
21.7x3
21.8x2.4
21.8x2.8
21.82x3.53
21.89x2.62
21.95x1.78


規 格：內徑ID X 線徑CS
22x2
22x2.5
22x3
22x4
22.1x1.2
22.4x2.65
22.5x3
22.6x1.2
22.8x2.6

規 格：內徑ID X 線徑CS
23x1.4
23x2
23x2.2
23x3.5
23.39x3.53
23.52x1.78
23.6x2.65
23.7x2
23.7x3.5



YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規 格 : 內徑ID X 線徑CS
24x1
24x1.9
24x2
24x2.5
24x3.8
24x5.7
24.5x1.5
24.5x2
24.7x3.5


規 格 : 內徑ID X 線徑CS
25x1
25x2
25x3
25x3.5
25x4.4
25.07x2.62
25.12x1.78
25.3x2.4
25.3x2.5
25.5x2

規 格 : 內徑ID X 線徑CS
26x1.95
26x2
26x2.1
26x2.2
26x2.3
26.2x1.5
26.34x5.33
26.5x1.8
26.6x2.65
26.7x1.78



YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規 格：內徑ID X 線徑CS
27x3
27x3.5
27x4.6
27.4x3.5
27.5x2
27.7x3.5

規 格：內徑ID X 線徑CS
28x1.2
28x1.5
28x2.4
28x3
28x3.2
28x5.4
28.17x3.53
28.2x2.65
28.25x2.62
28.3x1.78
28.5x1.3
28.6x2.6
28.8x2


規 格：內徑ID X 線徑CS
29x2
29.2x3.5
29.4x3.35
29.7x2.4
29.74x3.53
29.82x2.62
29.87x1.78
29.9x1.95

更多詳細規格資訊 · 請至耀裕官網查詢 For more information, please visit our website.



YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規 格：內徑ID X 線徑CS
30x2
30x3.5
30x4.9
31.34x3.53
31.34x3.9
31.42x2.62
31.47x1.78
31.5x2
31.8x2.4
31.95x1.78
31.95x2.6
31.95x3
32x1.78
32x2.5
32x4.9
32.15x3
32.3x2.4
32.3x1.78
32.69x5.33
32.99x2.62


規 格：內徑ID X 線徑CS
33x2.45
33x2.62
33.05x1.78
33.05x3.53
33.7x3.5
33.8x3.1
33.95x5.64
34x2
34x2.6
34.29x3.53
34.29x5.33
34.3x2.8
34.3x3.1
34.5x2
34.52x3.53
34.6x2.62
34.65x1.78

規 格：內徑ID X 線徑CS
35x1
35x2
35x3
35x4.8
35x5
35.5x1.57
35.5x2
35.58x3.2
35.7x0.8
35.7x2.9
35.7x3.5
36x2.75
36.3x2.6
36.4x3
36.5x1.3
37x3
37.2x2.4
37.2x3
37.5x1.8
37.5x2
37.69x3.53
37.77x2.62
37.82x1.78



YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規 格：內徑ID X 線徑CS
38x5
39x1.9
39x2
39.4x3.1
39.45x4
39.5x2
39.55x2.7
39.7x2.4


規 格：內徑ID X 線徑CS
40x1.5
40x2
40.7x1.63
40.87x3.53
41x1.78
41.5x3.1
41.7x3.5
42x2
42x2.15
42x5
42.25x4
42.54x2.62
43x2
43x2.4
43x2.55
43x2.8
43.2x5
44.04x3.53
44.12x2.62
44.17x1.78
44.53x2.73
44.7x3.5

規 格：內徑ID X 線徑CS
45x1.5
45x3
45.7x2.62
45.7x3.5
46.3x3.1
47x5.2
47.3x2.62
47.35x1.78
47.5x2



YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規格：內徑ID X 線徑CS
50x1.8
50x2.1
50.16x5.3
50.394x3.53
50.47x2.62
51.5x1.5
51.6x3.5
52x2.5
52.5x2
53x1.25
53x2
53.3x3.25
53.57x3.53
54x3.8
55x2
55.2x3.6


規格：內徑ID X 線徑CS
56.5x3.1
56.82x2.62
59.4x3.1
60x2.5
61.7x3.1
62x7.5
62.8x5.3
63.5x1.78
63.5x4.76
63.8x2.1
66.04x5.33
66.5x3.5
67x2

規格：內徑ID X 線徑CS
69x3.5
69.2x6.5
70x1.45
70.5x2
73x4
73.5x1.9
74.4x3.1
74.5x2.2
75.7x6.5
77x2
77.5x1.5
78.5x1.5
78.97x3.53
79.4x3.1



YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規格：內徑ID X 線徑CS
80x1.2
80x2
82x3
82.22x2.62
84x3.5
85x4.1
85.5x3.5
86x1.38
86x1.53
87.4x3.6
90x2
91.67x3.53


規格：內徑ID X 線徑CS
94.62x5.33
97x2.2
97x4.4
100x3
101x3
101x3.5
104.37x3.53
106x8
107.62x2.62
108.15x2.1
112x1.2

規格：內徑ID X 線徑CS
115.8x1.32
117x1.45
118x3
120x3.53
126.5x3.5
138x2
140x4
145.7x2.62



YAW-YEW O-RING

STANDARD SIZE LIST SERIES



規 格：內徑ID X 線徑CS

185x3

199.3x5.7

255x5

324.5x8.4

規 格：內徑ID X 線徑CS

530x10

規 格：內徑ID X 線徑CS



耀裕橡膠有限公司
YAW-YEW RUBBER CO., LTD.



彰化縣福興鄉番社村番社街49之8號
No.49-8, Fanshe St., Fuxing Township, Changhua County 506, Taiwan (R.O.C)



+886-4-7783390



+886-4-7782764



y7783390@ms33.hinet.net



<http://www.yaw-yew.com.tw>



更多耀裕訊息即刻上網



更多NSF資訊即刻上網